Index to Volume 18, 1981

Acetylcholinesterase in amniotic fluid and its implications for neural tube defect screening **299**

ADENA MA *see* WHITFIELD JB *et al*

Agar electrophoresis, assay of glycosylated haemoglobin using **182**

AL-HAKIEM MHH *see* SMITH DS *et al*

ALBERTI KGMM *see* BURRIN JM *et al*

ALBUTT EC, HAWKER PC, HINE KR and NORTHAM BE: Diagnosis of gamma heavy-chain disease **207**

Alcohol
- effect on correlations between biochemical variables **143**
- (sorghum beer) failure to induce reactive hypoglycaemia by drinking **22**

Aldosterone, plasma, interference by polar metabolites in direct radioimmunoassay for **54**

ALLEN JK *see* WHITFIELD JB *et al*

Alphafetoprotein, amniotic fluid, affinity chromatography using Concanavalin A-sepharose **350**

Amniotic fluid, acetylcholinesterase activity, implications for neural tube defect screening **299**

Analytical methods, routine, technique for objective assessment using pattern recognition **218**

ANDERSON D *see* BRIGGS CJ *et al*

Anti-acetylcholine receptor antibodies, radioimmunoassay procedures for determination in myasthenia gravis **146**

Apoproteins, A-, loss of immunoreactivity during high-density lipoprotein separation **308**

ARNQVIST H, CEDERBLAD G, HERMANSSON G, LUDVIGSSON J and WETTRE S: A chromatographic method for measuring haemoglobin A_1: comparison with two commercial kits **240**

ASHBY JP and FRIER BM: Circulating C-peptide: measurement and clinical application **125**

ASL S ZAHEDI- *see* ZAHEDI-ASL S

ATKINS J *see* WEBB B *et al*

Auotomated continuous-flow system for immunoassays **287**

Automation and laboratory performance **189**

BAKER S *see* JOFFE BI *et al*

BALL G *see* WICKENS D *et al*

Benzoylcholine as substrate in phenotyping of plasma cholinesterase plasma variants, comparison of methods **9**

BERGH FAJTM VAN DEN *see* VAN DEN BERGH FAJTM

BIJSTER P, VADER HL and VINK CLJ: On the standardisation of the direct spectrophotometric bilirubin determination. Influence of the albumin source and the molar bilirubin: albumin ratio **102**

Bilirubin
- concentration, possible effect on in-vitro lability of creatinine kinase during storage **185**
- direct spectrophotometric determination, standardisation **102**

BIRD R *see* TUTTLEBEE JW and BIRD R

BLUNDEN RW, LLOYD JV, RUDZKI Z and KIMBER RJ: Changes in serum ferritin levels after intravenous iron **215**

BOLLAND CJ *see* FYFFE JA *et al*

BONSER AM and GARCIA-WEBB P: C-peptide measurement and its clinical usefulness: a review **200**

BOOK REVIEWS:
- Ciba Foundation Symposium No 79: *Biological roles of copper* 1980 **252**
- CLARK PMS and KRICKA LJ: *Medical consequences of alcohol abuse* 1980 **187**
- Clinics in Endocrinology and Metabolism Vol. 9, No. 3 *Endocrine and metabolic emergencies*, 1980 **378**
- Clinics in Endocrinology and Metabolism March 1981, *Endocrinology in ageing* 1981 **378**
- DIETY AA *Editor*: *Aging—its chemistry* 1980 **188**
- EADIE MJ and TYRER JG editors: *Anticonvulsant therapy. Pharmacological basis and practice.* 2nd edition, 1980 **60**
- GRAM TE editor: *Extrahepatic metabolism of drugs and other foreign compounds* 1980 **60**
- GUPTA D editor: *Radioimmunoassay of steroid hormones*, 2nd ed. 1980 **124, 187**
- HOOD W: *A–Z of clinical chemistry: A guide for the trainee* 1980 **187**
- ISMAIL A: *Biochemical tests in endocrinology* 1981 **316**
- KANUNGO MS: *Biochemistry of ageing* 1980 **316**
- RICHTER D editor: *Addiction and brain damage* 1980 **187**
- RICHTERICH R and COLOMBO JP: *Clinical chemistry* 1981 **188**
- ROBINSON R: *Tumours that secrete CATecholamines* 1980 **124**
- SHEEHAM DC and HRAPCHAK BB: *Theory and practice of histotechnology* 2nd ed. 1980 **188**
- SMITH AL: *Microbiology and pathology* 12th edition, 1980 **60**
- STITCH SR editor: *Specialized assay services for hospital laboratories* **124, 252**
- VAN WIMERSMA GREIDANUS TJB and REES LH *ACTH and LPH in health and disease* (*Frontiers of hormone research* vol 8) 1981 **316**
- WATERLOW JC editor: *Nutrition of man* **252**

BOWLES SM and MILLS RJ: Sex hormone binding globulin: effect of synthetic steroids on the assay and effect of oral contraceptives **226**

BRIGGS CJ, ANDERSON D, JOHNSON P and DEEGAN T: Evaluation of the polyethylene glycol precipitation method for the estimation of high-density lipoprotein cholesterol **177**

BRITTEN JJ *see* WHITTAKER M and BRITTEN JJ

Bromide numbers, discrepancies during serum cholinesterase phenotyping: correspondence **315**

BROUGHTON PMG and HOGAN TC: A new approach to the costing of clinical laboratory tests **330**
BROWN JB *see* MACLEAN AR *et al*
Burn injury, proteinuria after **353**
BURRIN JM, WORTH R, LAW S and ALBERTI KGMM: Simple filter paper method for home monitoring of blood glucose, lactate, and 3-hydroxybutyrate **243**

C-peptide
circulating, measurement and clinical application **125**
measurement and its clinical usefulness **200**
CAIS M and SHIMONI M: A feasible solvent separation system for immunoassays **317**
A novel system for mass transport through selective barriers in non-centrifugation immunoassays **324**
Calcium
predictive value of derived figures based on measurement of ionised calcium **106**
selective electrodes, preparation of material to control precision **110**
Capillary system, 5-microlitre for home glucose monitoring **304**
Carcinoembryonic antigen, serum, evaluation of a commercial enzyme immunoassay kit **248**
CARTER B, HARRISON R, LUNT GG, MORRIS H, SAVAGE-MARENGO T and STEPHENSON FA: An assessment of radioimmunoassay procedures for determination of anti-acetylcholine receptor antibodies in the sera of patients with myasthenia gravis **146**
CARTER GD *see* JONES JC *et al*
CEDERBLAD G *see* ARNQVIST H *et al*
CEKAN SZ *see* DE GOMEZ MS *et al*
CHILD DF *see* WILLIAMS CP *et al*
Cholesterol
high density lipoprotein, and total: HDL cholesterol ratio, pre- and post-treatment values in hyperlipoproteinaemic subjects **71**
plasma, as cholest-4-en-3-one, oxidase determination using iso-octane extraction **64**
Cholinesterase
phenotyping, serum, discrepancies in bromide numbers during: correspondence **315**
plasma variants, phenotyping, comparison of methods using benzoylcholine as substrate **9**
Chromatography, affinity, of amniotic fluid alpha-fetoprotein using Concanavalin A-sepharose **350**
CIS Aldoctk-125 kit for aldosterone assay, interference by polar metabolites in **54**
Clinical laboratory techniques, costing, new approach **330**
Cocaine, rapid method for screening urine samples in suspected abuse **368**
COLGAN M *see* DAVIDSON DF *et al*
Computer-based laboratory record system in an endocrinology laboratory **169**
Concanavalin A-sepharose, affinity chromatography of amniotic fluid alphafetoprotein using **350**
COOMBES EJ *see* SHAKESPEARE PG *et al*
Costing, clinical laboratory tests, new approach **330**
COWELL DC and TAYLOR WH: Ionic fluoride: a study of its physiological variation in man **76**
Creatine kinase, possible effect of bilirubin concentration on in-vitro lability of during storage **185**
CUSICK CF: Ratio of thyroxine to thyroxine-binding globulin. An assessment of the validity of a single reference range **93**

DAVIDSON DF, HAINSWORTH IR, ROWAN R, KOUSOUROU G and COLGAN M: Possible effect of bilirubin concentration on the in-vitro lability of creatine kinase during storage **185**
DAVIES GK *see* WILLIAMS CP *et al*
DAVIES KW *see* HOBBS DR and DAVIES KW
DE GOMEZ MS, FREI A, VITINS P and CEKAN SZ: Influence of antisera, purification procedures, and tracers on validity of a testosterone radioimmunoassay **281**
DE VALK GAJM *see* JANSEN RTP *et al*
DEEGAN T *see* BRIGGS CJ *et al*
JOHNSON P *et al*
DEN BERGH FAJTM VAN *see* VAN DEN BERGH FAJTM
DENNIS PM *see* MACLEAN AR *et al*
Diabetes mellitus, prolactin and impotence in **6**
DOLS JLS and VAN ZANTEN AP: Gentamicin assay: comparison of an adapted EMIT method and an RIA method **236**
DORMANDY TL *see* WICKENS D *et al*
DRYBURGH FJ *see* FYFFE JA *et al*
GARDNER MD *et al*
DUGGAN PF *see* O'LEARY N *et al*
Duodenal ulcer after feeding, so-called big-big gastrin in: short note **123**
DYAS J, TURKES A, READ GF and RIAD-FAHMY D: A radioimmunoassay for ethinyl oestradiol in plasma incorporating an immunosorbent, pre-assay purification procedure **37**

Electrolytes
analyser, Rank Hilger Chemispek multichannel, evaluation of first production model **15**
plasma, value of measurement **275**
EMIT method
adapted, and RIA method compared in gentamicin assay **236**
thyroxine assays on an LKB 2086 Reaction Rate Analyser: technical note **314**
Endocrinology laboratory, computer-based laboratory record system **169**
Enzyme immunoassay
commercial, evaluation, for serum carcinoembryonic antigen **248**
sensitive sandwich, for serum ferritin on microtitre plates **48**
sensitive, specific, solid-phase, for plasma progesterone **42**
Errors, analytical, in clinical laboratories as assessed by an interlaboratory survey **28**
Ethinyl oestradiol in plasma incorporating an immunosorbent, pre-assay purification procedure **37**
EVANS GO and GRIFFITHS PD: Limitations concerning the use in children of the relationship between plasma creatinine and body height to derive glomerular filtration rate **295**

FABRICATORIAN D and GALLAGHER ND: Evaluation of a commercial enzyme immunoassay kit for serum carcinoembryonic antigen **248**
FAHMY D RIAD- *see* RIAD-FAHMY D
Feasible solvent system for immunoassays **317**
Ferritin serum levels
changes after intravenous iron **215**
sensitive sandwich enzyme immunoassay for on microtitre plates **48**
Fluorescence method, new, for gamma-glutamyl-transferase isoenzyme demonstration **25**
Fluoride, serum ionic concentrations, physiological variation, man **76**
Fluoroimmunoassay and immunofluorometric assay, review **253**
FOO AY, NEMESANSZKY E and ROSALKI SB: Comparison of procedures for the measurement of the anodal isoenzymes of lactate dehydrogenase in serum **232**
see also ROSALKI SD *et al*
Free-radical oxidation products in plasma in normal and abnormal pregnancy **158**
FREI A *see* DE GOMEZ MS *et al*
FRIER BM *see* ASHBY JP and FRIER BM
FRITH RG and PHILLIPOU G: Measurement of plasma progesterone and its O-methyloxime by gas chromatography—nitrogen detection **84**
FURNESS D *see* SHAKESPEARE PG *et al*
FYFFE JA, JENKINS AS, BOLLAND CJ, DRYBURGH FJ and GARDNER MD: Preparation of material to control precision of calcium selective electrodes **110**
see also GARDNER MD *et al*

GALLAGHER ND *see* FABRICATORIAN D and GALLAGHER ND
Gamma-glutamyl-transferase isoenzyme demonstration, new fluorescence method for **25**
Gamma heavy-chain disease, diagnosis **207**
GARCIA-WEBB P *see* BONSER AM and GARCIA-WEBB P
GARDNER MD, DRYBURGH FJ, FYFFE JA and JENKINS AS: Predictive value of derived calcium figures based on the measurement of ionised calcium **106**
see also FYFFE JA *et al*
GARRY R *see* WEBB B *et al*
Gastric cancer diagnosis, limitation of LDH measurement in gastric juice **364**
Gastrin, big-big, in duodenal ulcer after feeding: short note **123**
Gel isoelectric focusing and IgG index for demonstration of intrathecal IgG synthesis in neurological disorders **153**
Gentamicin assay, comparison of an adapted EMIT method and RIA method **236**
Glomerular filtration rate, limitation concerning use in children of relationship between plasma creatinine and body height to derive **295**
Glucose
home monitoring, novel five-microlitre capillary system **304**
lactate, and 3-hydroxybutyrate, blood measurement, simple filter paper method for home monitoring **243**
GOLDIE DJ *see* ISMAIL AAA *et al*
GOMEZ MS DE *see* DE GOMEZ MS
GRIFFITHS PD *see* EVANS GO and GRIFFITHS PD

Haemoglobin, glycosylated, (HbA_1) assay using agar electrophoresis **182**
Haemoglobin A_1, measurement, chromatographic method, comparison of two kits **240**
HAINSWORTH IR *see* DAVIDSON DF *et al*
HAKIEM MHH AL- *see* AL-HAKIEM MHH
HAMBLETON J *see* SHAKESPEARE PG *et al*
HARRISON R *see* CARTER B *et al*
HARROP JS, HOPTON MA and LAZARUS JH: Concentration of serum thyroid hormone binding proteins after ^{131}I treatment of hyperthyroidism **211**
HAWKER PC *see* ALBUTT EC *et al*
HENSLEY WJ *see* WHITFIELD JB *et al*
HERMANSSON G *see* ARNQVIST H *et al*
High-density lipoprotein
cholesterol, evaluation of the polyethylene glycol precipitation method for estimation **177**
separation, loss of A-apoprotein immunoreactivity during **308**
HINE KR *see* ALBUTT EC *et al*
HOBBS DR and DAVIES KW: EMIT thyroxine assays on an LKB 2086 Reaction Rate Analyser: technical note **314**
HOGAN TC *see* BROUGHTON PMG and HOGAN TC
Home monitoring of blood glucose, lactate and 3-hydroxybutyrate, simple filter paper method **243**
HOPTON MR *see* HARROP JS *et al*
Hormone laboratories, quality control **1**
HSU LSF, SHARRARD JI, LOVE C, and MARRS TC: A rapid method for screening urine samples in suspected abuse of cocaine **368**
HURLEY T *see* O'LEARY N *et al*
3-Hydroxybutyrate, glucose and lactate, blood measurement, simple filter paper method for home monitoring **243**
Hyperproteinaemia, pre- and post-treatment values of HDL cholesterol and total: HDL cholesterol ratio **71**
Hyperthyroidism, ^{131}I treatment, concentration of serum thyroid hormone binding proteins after **211**
Hypoglycaemia, reactive, failure to induce by drinking starch-based alcohol beverage (sorghum beer) **22**
Hypothyroidism, congenital, value of determination of 'true' free thyroxine in screening newborn with possible TBG-deficiency **361**
HUSAIN OAN *see* IBRAHIM KS *et al*

IBRAHIMS, MARRS TC and HUSAIN OAN: LDH in gastric juice and its limitation in the diagnosis of gastric cancer **364**
Immune complexes in serum, detection, polyethylene glycol turbidity method for **373**
Immunoassays
feasible solvent separation system **317**
an improved full automated continuous-flow system **287**
non-contrifugation, novel system for mass transport through selective barriers in **324**
see also Enzyme immunoassay
Immunofluorometric assay and fluoroimmunoassay, review **253**

Immunoglobulin index and gel isoelectric focusing for demonstration of intrathecal IgG synthesis in neurological disorders **153**
Impotence and prolactin in diabetes mellitus **6**
Ionic fluoride, physiological variation, man **76**
Iron, intravenous, changes in serum ferritin levels after **215**
IRVINE WJ *see* KILPATRICK DC *et al*
ISMAIL AAA, WEST PM, GOLDIE DJ and POOLE AC: An improved fully automated continuous-flow system for immunoassays **287**
Isoenzymes, anodal, of lactate dehydrogenase, comparison of procedures for measurement **232**

JANSEN RTP, PIJPERS FW and DE VALK GAJM: A technique for the objective assessment of routine analytical methods in clinical laboratories using pattern recognition **218**
JEFFCOATE SL: Who shall control the controllers? A personal view **1**
JENKINS AS *see* FYFFE JA *et al*
GARDNER MD *et al*
JOFFE BI, ROACH L, BAKER S, SHIRES R, SANDLER M and SEFTEL HC: Failure to induce reactive hypoglycaemia by drinking a starch-based alcohol beverage (sorghum beer) **22**
JOHN R *see* KADBURY S *et al*
JOHNSON P, MUIRHEAD RA and DEEGAN T: Loss of A-apoprotein immunoreactivity during high-density lipoprotein separation **308**
see also BRIGGS CJ *et al*
JOHNSTONE JH *see* SALE JK and JOHNSTONE JH
JONES JC, CARTER GD and MACGREGOR GA: Interference by polar metabolites in a direct radioimmunoassay for plasma aldosterone **54**
JOYCE BG, OTHICK AH, READ GF and RIADHAHMY D: A sensitive, specific, solid-phase enzyme immunoassay for plasma progesterone **42**

KADBURY S, JOHN R, WOODHEAD JS and KURTZ AB: Automated radioimmunoassay of total and free thyroxine in human serum **97**
KENNEDY JG *see* LINPISARN S *et al*
KIMBER RJ *see* BLUNDEN RW *et al*
KILPATRICK DC, WESTON J and IRVINE WJ: Some studies on the polyethylene glycol turbidity method for detecting immune complexes in serum **373**
KNAPP ML: Partial characterisation of an oncofetal pancreatic antigen. Its role in the differential diagnosis and therapy of patients with pancreatic cancer **131**
KOPPERT PW *see* NOOIJEN WJ and KOPPERT PW
KOUSOUROU G *see* DAVIDSON DF *et al*
KRICKA LJ *see* LINPISARN S *et al*
KURTZ AB *see* KADBURY S *et al*

Laboratories (y)
clinical, analytical errors in, as assessed by an interlaboratory survey **28**
performance and automation **189**
Lactate
dehydrogenase, anodal isoenzymes, comparison of procedures for measurement **232**
glucose, and 3-hydroxybutyrate, blood measurement, simple filter paper method for home monitoring **243**
LANDON J *see* SMITH DS *et al*
LAW S *see* BURRIN JM *et al*
LAZARUS JH *see* HARROP JS *et al*
LDH in gastric juice, limitation in gastric cancer diagnosis **364**
LESTER E, WOODROFFE FJ and SMITH RL: Prolactin and impotence in diabetes mellitus **6**
LEVER M, MUNSTER DJ, WALMSLEY TA and STEWART AW: Analytical errors in clinical laboratories as assessed by an interlaboratory survey **28**
LINPISARN S, KRICKA LJ, KENNEDY JG and WHITEHEAD TP: Sensitive sandwich enzyme immunoassay for serum ferritin on microtitre plates **48**
LITTLE AJ *see* SMITH M *et al*
LKB 2086 Reaction Rate Analyser, EMIT thyroxine assays on: technical note **314**
LLOYD JV *see* BLUNDEN RW *et al*
LOOYÉ A, VAN DER VIS-MELSEN MJE and SCHREUDER CH: Value of determination of 'true' free thyroxine in screening the newborn with possible congenital TBG-deficiency for congenital hypothyroidism **361**
LOVE C *see* HSU LSF *et al*
LUDVIGSSON J *see* ARNQVIST H *et al*
LUND PK *see* SANDERS DJ *et al*
LUNEC J *see* WICKENS D *et al*
LUNT GG *see* CARTER B *et al*

MACGREGOR GA *see* JONES JC *et al*
MACLEAN AR, OUTCH KH, RUSSELL JM, BROWN JB, and DENNIS PM: Monitoring induction of ovulation by rapid radioimmunoassays of oestrogen and pregnanediol glucuronides **343**
MCQUEEN MJ *see* STRICKLAND RD *et al*
MARENGO T SAVAGE- *see* SAVAGE-MARENGO T
MARRS TC *see* HSU LSF *et al*
IBRAHIM KS *et al*
MILLS RJ *see* BOWLES SM and MILLS RJ
MORGAN DB: Why plasma electrolytes? **275**
MORRIS H *see* CARTER B *et al*
MORRIS R: Radioimmunoassay of oestriol in the urine of non-pregnant women **163**
MOSLEY J: A computer-based laboratory record system in an endocrinology laboratory **169**
MUIRHEAD RA *see* JOHNSON P *et al*
Multiple sclerosis, gel isoelectric focusing and IgG index for demonstration of intrathecal IgG synthesis in **153**
MUNSTER DJ *see* LEVER M *et al*
Myasthenia gravis, radioimmunoassay procedures for determination of anti-acetylcholine receptor antibodies **146**

NEMESANSZKY E *see* FOO AY *et al*
ROSALKI SB *et al*
Neural tube defect screening, particulate acetylcholinesterase in amniotic fluid and implications for **299**

NOOIJEN WJ and KOPPERT PW: Radioimmunoassay for pancreatic glucagon based on specific derivatisation of the hormone **118**
NORTHAM BE: Whither automation? **189**
see also ALBUTT EC *et al*
NOYES JA and WOOD PJ: Affinity chromatography of amniotic fluid alphafetoprotein using Concanavalin A-sepharose **350**

Occasional meeting report
Albumin **61**
Oestriol, radioimmunoassay, in urine of non-pregnant women **163**
O'LEARY N, HURLEY T, STAPLETON M, SCULLY B and DUGGAN PF: Simple adaptation of the Technicon SMAC system to operate 18 channels with reduced volumes of plasma **112**
Oncofetal pancreatic antigen, partial characterisation **131**
Oral contraceptives effect on sex hormone binding globulin **226**
OTHICK AH *see* JOYCE BG *et al*
OUTCH KH *see* MACLEAN AR *et al*
Ovulation, monitoring induction by rapid immunoassays of oestrogen and pregnanediol glucuronides **343**
Oxidase determination, plasma cholesterol as cholest-4-en-3-one using iso-octane extraction **64**

Pancreatic cancer, partial characterisation of an oncofetal pancreatic antigen **131**
Pancreatic glucagon, radioimmunoassay based on specific derivatisation of the hormone **118**
PAYNE RB *see* SMITH M *et al*
PHILLIPOU G *see* FRITH RG and PHILLIPOU G
PIJPERS FW *see* JANSEN RTP *et al*
Plasma electrolytes, value of measurement **275**
Polar metabolites, interference by indirect radioimmunoassay for plasma aldosterone **54**
Polyethylene glycol
precipitation method evaluation for the estimation of high-density lipoprotein cholesterol **177**
turbidity method for detecting immune complexes in serum **373**
POOLE AC *see* ISMAIL AAA *et al*
Pregnancy, normal and abnormal, free-radical oxidation products in plasma in **158**
Progesterone, plasma
and its O-methyloxime, measurement by gas chromatography—nitrogen detection **84**
sensitive, specific, solid-phase enzyme immunoassay for **42**
Prolactin and impotence in diabetes mellitus **6**
Proteinuria after burn injury **353**

Quality control in hormone laboratories **1**

Radioimmunoassay
and adapted EMIT methods compared for gentamicin assay **236**
for ethinyl oestradiol in plasma incorporating an immunosorbent, pre-assay purification procedure **37**
of oestriol in urine of non-pregnant women **163**
for pancreatic glucagon based on specific derivatisation of hormone **118**
for plasma aldosterone, interference by polar metabolites in **54**
procedures for determination of anti-acetylcholine receptor antibodies in myasthenia gravis **146**
rapid, of oestrogen and pregnanediol glucuronides in monitoring induction of ovulation **343**
testosterone, influence of antisera, purification procedures, and tracers on validity **281**
Rank Hilger Chemispek multichannel electrolyte analyser, evaluation of first production model **15**
READ GF *see* DYAS J *et al*
RIAD-FAHMY D *see* DYAS J *et al*
JOYCE BG *et al*
RICHARDSON SJ *see* WEBB B *et al*
ROACH L *see* JOFFE BI *et al*
ROOS RAC *see* VAN DEN BERGH FAJTM and ROOS RAC
ROWAN R *see* DAVIDSON DF *et al*
ROSALKI SB, NEMESÁNSKY E and FOO AY: A new fluorescence method of gamma-glutamyl-transferase isoenzyme demonstration **25**
also see FOO AY *et al*
RUDZKI Z *see* BLUNDEN RW *et al*
RUSSELL, JM *see* MACLEAN AR *et al*

SALE JK and JOHNSTONE JH: Pre- and post-treatment values of HDL cholesterol and total: HDL cholesterol ratio in hyperlipoproteinaemic subjects **71**
SANDERS DJ, LUND PK and ZAHEDI-ASL S: More so-called big-big gastrin in patients with duodenal ulcer after feeding: short note **123**
SANDERS GTB *see* THORNTON WE *et al*
SANDLER M *see* JOFFE BI *et al*
SAVAGE-MARENGO T *see* CARTER B *et al*
SCHELLEKENS APM *see* THORNTON WE *et al*
SCHREUDER CH *see* LOOYÉ A *et al*
SCULLY B *see* O'LEARY N *et al*
SEFTEL HC *see* JOFFE BI *et al*
Separation technique, novel system for mass transport through selective barriers in non-centrifugation immunoassays **324**
Sex hormone binding globulin, effect of synthetic steroids on assay and effect of oral contraceptives **226**
SHAKESPEARE PG, COOMBES EJ, HAMBLETON J and FURNESS D: Proteinuria after burn injury **353**
SHARRARD JI *see* HSU LSF *et al*
SHIMONI M *see* CAIS M and SHIMONI M
SHIRES R *see* JOFFE BI *et al*
SMAC system, see Technicon SMAC system
SMITH DS, AL-HAKIEM MHH and LANDON J: A review of fluoroimmunoassay and immunofluorometric assay **253**
SMITH M, LITTLE AJ and PAYNE RB: An evaluation of the first production model of the Rank Hilger Chemispek multichannel electrolyte analyser **15**
SMITH RL *see* LESTER E *et al*

Solvent separation system, feasible, for immunoassays **317**
STAPLETON M *see* O'LEARY N *et al*
STEPHENSON FA *see* CARTER B *et al*
STEWART AW *see* LEVER M *et al*
STRICKLAND RD, MCQUEEN MJ and TRIMBLE A: Discrepancies in bromide numbers during serum cholinesterase phenotyping: correspondence **315**

TÁRNOKY AL: Albumin: Occasional meeting report **61**
TAYLOR WH *see* COWELL DC and TAYLOR WH
Technical note
EMIT thyroxine assays on an LKB 2086 Reaction Rate Analyser **314**
Technicon SMAC system, simple adaptation to operate 18 channels with reduced volumes of plasma **112**
Testosterone radioimmunoassay, validity, influence of antisera, purification procedures, and tracers **281**
THORNTON WE, SCHELLEKENS APM and SANDERS GTB: Assay of glycosylated haemoglobin using agar electrophoresis **182**
Thyroid
function, diagnostic tests, comparison of free thyroxine concentration and index **88**
diagnostic, tests, ratio of thyroxine to thyroxine-binding globulin **93**
hormone binding proteins, serum concentration, after ^{131}I treatment for hyperthyroidism **211**
Thyroxine
assays, EMIT, on an LKB 2086 Reaction Rate Analyser: technical note **314**
concentration, free, and free thyroxine index as diagnostic tests of thyroid function **88**
free and total automated radioimmunoassay in human serum **97**
to thyroxine-binding globulin ratio, assessment of validity of a single reference range **93**
'true' free, value of determination in screening newborn with possible TBG-deficiency **361**
TRINDER P: Oxidase determination of plasma cholesterol as cholest-4-en-3-one using iso-octane extraction **64**
TRIMBLE A *see* STRICKLAND RD *et al*
TURKES A *see* DYAS J *et al*
TUTTLEBEE JW and BIRD RA: A comparison of free thyroxine concentration and the free thyroxine index as diagnostic tests of thyroid function **88**

VADER HL *see* BIJSTER P *et al*
VALK GAJM DE *see* DE VALK GAJM
VAN DEN BERGH FAJTM and ROOS RAC: Gel isoelectric focusing and IgG index for demonstration of intrathecal IgG synthesis in neurological disorders **153**
VAN DER VIS MELSEN MJE *see* LOOYÉ A *et al*
VAN ZANTEN AP *see* DOLS JLS and VAN ZANTEN AP
VINK CLJ *see* BIJSTER P *et al*
VIS-MELSEN MJE VAN DER *see* VAN DER VIS-MELSEN MJE
VITINS P *see* DE GOMEZ MS *et al*

WALMSLEY TA *see* LEVER M *et al*
WEBB B, RICHARDSON SJ, GARRY R and ATKINS J: Particulate acetylcholinesterase in amniotic fluid and its implications for neural tube defect screening **299**
WEBB P GARCIA- *see* GARCIA-WEBB P
WEST PM *see* ISMAIL AAA *et al*
WESTON J *see* KILPATRICK DC *et al*
WETTRE S *see* ARNQVIST H *et al*
WHITEHEAD TP *see* LINPISARN S *et al*
WHITFIELD JB, ALLEN JK, ADENA MA and HENSLEY WJ: Effect of drinking on correlations between biochemical variables **143**
WHITTAKER M and BRITTEN JJ: A comparison of some methods of phenotyping the plasma cholinesterase variants using benzoylcholine as substrate **9**
WICKENS D, WILKINS MH, LUNEC J, BALL G and DORMANDY TL: Free-radical oxidation (peroxidation) products in plasma in normal and abnormal pregnancy **158**
WILKINS MH *see* WICKENS D *et al*
WILLIAMS CP, DAVIES GK and CHILD DF: A novel five microlitre capillary system for home glucose monitoring **304**
WOOD PJ *see* NOYES J and WOOD PJ
WOODHEAD JS *see* KADBURY S *et al*
WOODROFFE FJ *see* LESTER E *et al*
WORTH R *see* BURRIN JM *et al*

ZAHEDI-ASL *see* SANDERS DJ *et al*
ZANTEN AP VAN *see* VAN ZANTEN AP

Annals of Clinical Biochemistry

Editor-in-chief V Marks

Editors D L Williams G J van Stekelenburg

Editorial Committee

G M B Berger (South Africa), P M G Broughton, T Hargreaves (for the Association of Clinical Pathologists), J G Lines (for *Current Clinical Chemistry*), A H J Maas, F L Mitchell, P J J van Munster, P J Pegg (USA), A C Pollard (Australia), C P Price, J Ratcliffe, R Robinson, M J Stewart, J H H Thijssen, G Walters (for the Royal College of Pathologists), J T Whicher, and the Editor, *British Medical Journal*

VOLUME 18, 1981

Professional and Scientific Publications, London
For The Association of Clinical Biochemists and
de Nederlandse Vereniging voor Klinische Chemie

CONTENTS OF VOLUME 18

VOLUME 18 PART 1 JANUARY 1981

Who shall control the controllers?
S L Jeffcoate 1

Prolactin and impotence in diabetes mellitus
Eva Lester, F J Woodroffe, and R L Smith 6

A comparison of some methods of phenotyping the plasma cholinesterase variants using benzoylcholine as substrate
Mary Whittaker and Judith J Britten 9

An evaluation of the first production model of the Rank Hilger Chemispek multichannel electrolyte analyser
M Smith, A J Little, and R B Payne 15

Failure to induce reactive hypoglycaemia by drinking a starch-based alcohol beverage (sorghum beer)
B I Joffe, L Roach, S Baker, R Shires, M Sandler, and H C Seftel 22

A new fluorescence method for gamma-glutamyltransferase isoenzyme demonstration
S B Rosalki, E Nemesánszky, and A Y Foo 25

Analytical errors in clinical laboratories as assessed by an interlaboratory survey
M Lever, D J Munster, T A Walmsley, and A W Stewart 28

A radioimmunoassay for ethinyl oestradiol in plasma incorporating an immunosorbent, pre-assay purification procedure
J Dyas, A Turkes, G F Read, and Diana Riad-Fahmy 37

A sensitive specific, solid-phase enzymeimmunoassay for plasma progesterone
B G Joyce, Ann H Othick, G F Read, and Diana Riad-Fahmy 42

Sensitive sandwich enzyme immunoassay for serum ferritin on microtitre plates
Sukanya Linpisarn, J Kricka, J H Kennedy, and T P Whitehead 48

Interference by polar metabolites in a direct radioimmunoassay for plasma aldosterone
Julia C Jones, G D Carter, and G A MacGregor 54

Book reviews 60

VOLUME 18 PART 2 MARCH 1981

Occasional Meeting Report: Albumin
A L Tarnoky Guest editor 61

Oxidase determination of plasma cholesterol as cholest-4-en-3-one using iso-octane extraction
Paul Trinder 64

Pre- and post-treatment values of HDL cholesterol and total: HDL cholesterol ratio in hyperlipoproteinaemic subjects
J K Sale and J H Johnstone 71

Ionic fluoride: a study of its physiological variation in man
D C Cowell and W H Taylor 76

Measurement of plasma progesterone and its O-methyloxime by gas chromatography-nitrogen detection
R G Frith and G Phillipou 84

A comparison of free thyroxine concentration and the free thyroxine index as diagnostic tests of thyroid function
J W Tuttlebee and R Bird 88

Ratio of thyroxine to throxine-binding globulin
C F Cusick 93

Automated radioimmunoassay of total and free thyroxine in human serum
Sana Kadury, R John, J S Woodhead, and A B Kurtz 97

On the standardisation of the direct spectrophotometric bilirubin determination
P Bijster, H L Vader, and C L J Vink 102

Predictive value of derived calcium figures based on the measurement of ionised calcium
Mary D Gardner, Frances J Dryburgh, J A Fyffe, and A S Jenkins 106

Preparation of material to control precision of calcium selective electrodes
J A Fyffe, A S Jenkins, Carol J Bolland, Frances J Dryburgh, and Mary D Gardner 110

Simple adaptation of the Technicon SMAC system to operate 18 channels with reduced volumes of plasma
N O'Leary, T Hurley, Mary Stapleton, Barbara Scully, and P F Duggan 112

Radioimmunoassay for pancreatic glucagon based on specific derivatisation of the hormone
W J Nooijen and P W Koppert 118
Short note
More so-called big-big gastrin in patients with duodenal ulcer after feeding
D J Sanders, P K Lund, and S Zahedi-Asl 123
Book reviews 124

VOLUME 18 PART 3 MAY 1981

Circulating C-peptide: measurement and clinical application
J P Ashby and B M Frier 125
Partial characterisation of an oncofetal pancreatic antigen
M L Knapp 131
Effect of drinking on correlations between biochemical variables
J B Whitfield, J K Allen, M A Adena, and W J Hensley 143
An assessment of radioimmunoassay procedures for determination of anti-acetylcholine receptor antibodies in the sera of patients with myasthenia gravis
B Carter, R Harrison, G G Lunt, H Morris, T Savage-Marengo, and F A Stephenson 146
Gel isoelectric focusing and IgG index for demonstration of intrathecal IgG synthesis in neurological disorders
F A J T M van den Bergh and R A C Roos 153
Free-radical oxidation (peroxidation) products in plasma in normal and abnormal pregnancy
D Wickens, M H Wilkins, J Lunec, G Ball, and T L Dormandy 158
Radioimmunoassay of oestriol in the urine of non-pregnant women
R Morris 163
A computer-based laboratory record system in an endocrinology laboratory
J Mosley 169
Evaluation of the polyethylene glycol precipitation method for the estimation of high-density lipoprotein cholesterol
Catherine J Briggs, Deborah Anderson, P Johnson, and T Deegan 177
Assay of glycosylated haemoglobin using agar electrophoresis
W E Thornton, A P M Schellekens, and G T B Sanders 182
Possible effect of bilirubin concentration on the in-vitro lability of creatine kinase during storage
D F Davidson, I R Hainsworth, R Rowan, G Kousourou, and M Colgan 185
Book reviews 187

VOLUME 18 PART 4 JULY 1981

Whither automation?
B E Northam 189
C-peptide measurement and its clinical usefulness: a review
Anne M Bonser and P Garcia Webb 200
Diagnosis of gamma heavy-chain disease
Eileen C Albutt, P C Hawker, K R Hine, and B E Northam 207
Concentration of serum thyroid hormone binding proteins after ^{131}I treatment of hyperthyroidism
J S Harrop, M R Hopton, and J H Lazarus 211
Changes in serum ferritin levels after intravenous iron
R W Blunden, J V Lloyd, Z Rudzki, and R J Kimber 215
A technique for the objective assessment of routine analytical methods in clinical laboratories using pattern recognition
R T P Jansen, F W Pijpers, and G A J M de Valk 218
Sex hormone binding globulin: effect of synthetic steroids on the assay and effect of oral contraceptives
Susan M Bowles and R J Mills 226
Comparison of procedures for the measurement of the anodal isoenzymes of lactate dehydrogenase in serum
A Y Foo, E Nemesanszky, and S B Rosalki 232
Gentamicin assay: comparison of an adapted EMIT method and an RIA method
J L S Dols and A P van Zanten 236

A chromatographic method for measuring haemoglobin A_1: comparison with two commercial kits
H Arnqvist, G Cederblad, G Hermansson, J Ludvigsson, and S. Wettre 240
Simple filter paper method for home monitoring of blood glucose, lactate, and 3-hydroxybutyrate
Jacqueline M Burrin, R Worth, Susan Law, and K G M M Alberti 243
Evaluation of a commercial enzyme immunoassay kit for serum carcinoembryonic antigen
D Fabricatorian and N D Gallagher 248
Book reviews 252

VOLUME 18 PART 5 SEPTEMBER 1981
A review of fluoroimmunoassay and immunofluorometric assay
D S Smith, Mohammad H H Al-Hakeim, and J Landon 253
Why plasma electrolytes?
D B Morgan 275
Influence of antisera, purification procedures, and tracers on validly of a testosterone radio-immunoassay
Myriam S de Gomez, A Frei, P Vitins, and S Z Cekan 281
An improved fully automated continuous-flow system for immunoassays
A A A Ismail, P M West, D J Goldie, and A C Poole 287
Limitations concerning the use in children of the relationship between plasma creatinine and body height to derive glomerular filtration rate
G O Evans and P D Griffiths 295
Particulate acetylcholinesterase in amniotic fluid and its implications for neural tube defect screening
B Webb, S J Richardson, R Garry, and J Atkins 299
A novel five-microlitre capillary system for home glucose monitoring
C P Williams, G K Davies, and D F Child 304
Loss of A-apoprotein immunoreactivity during high-density lipoprotein separation
P Johnson, R A Muirhead, and T Deegan 308
Technical note
EMIT thyroxine assays on an LKB 2086 Reaction Rate Analyser
D R Hobbs and K W Davies 314
Letter to the Editor 315
Book reviews 316

VOLUME 18 PART 6 NOVEMBER 1981
A feasible solvent separation system for immunoassays
M Cais and M Shimoni 317
A novel system for mass transport through selective barriers in non-centrifugation immunoassays
M Cais and M Shimoni 324
A new approach to the costing of clinical laboratory tests
P M G Broughton and T C Hogan 330
Monitoring induction of ovulation by rapid radioimmunoassays of oestrogen and pregnanediol glucuronides
A R MacLean, K H Outch, J M Russell, J B Brown, and P M Dennis 343
Affinity chromatography of amniotic fluid alphafetoprotein using Concanavalin-A-sepharose
Jennifer A Noyes, and P J Wood 350
Proteinuria after burn injury
P G Shakespeare, E J Coombes, Joan Hambleton, and Diane Furness 353
Value of the determination of 'true' free thyroxine in screening the newborn with possible congenital TBG-deficiency for congenital hypothyroidism
A Looyé, M J E van der Vis-Melsen, and C H Schreuder 361
LDH in gastric juice and its limitation in the diagnosis of gastric cancer
K S Ibrahim, T C Marrs, and O A N Husain 364
A rapid method for screening urine samples in suspected abuse of cocaine
Lorna S F Hsu, J I Sharrard, C Love, and T C Marrs 368
Some studies on the polyethylene glycol turbidity method for detecting immune complexes in serum
D C Kilpatrick, J Weston, and W J Irvine 373
Book reviews 378
Index to volume 18 379